

# THERMAL IMAGING CAMERA

## ITK-9450

### FEATURES

- ITK-9450 is a stable, safe and reliable thermal Imaging Camera.
- Use ergonomics. It is easy and fast for user to use with simple key operation mode and comfortable hand feeling.
- Combines the functions of surface temperature measurement and real-time thermal imaging, helps customers quickly locate the central point to measure cursor and temperature.
- Resolution of infrared image/visible image:  
3600/1024(HT-02D) pixels/0.3 mega pixels.
- Infrared thermal imager that can blend the visible and infrared images.



ITK-9450



ITK-9450

Line: @itokin2000.com  
Tel: 02-9744354-6

W  
W  
W  
i  
t  
o  
k  
i  
n  
2  
0  
0  
0  
.  
c  
o  
m

# THERMAL IMAGING CAMERA

# THERMAL IMAGING CAMERA

## ITK-9450

*Model: ITK-9450*

*Color: Black & Yellow*

*Battery Supply: Built-in rechargeable battery*

*Display: 3.2 inch full viewing angle TFT display screen*

*Infrared image resolution: 220 x 160*

*Visible image resolution: 300000 pixels*

*Field angle/shortest focus length: 27° x 35°/0.5m*

*Thermal Sensitivity: 0.07°*

*Temperature range: -25° to 450° (-13° to 842°)*

*Measuring Accuracy: ±2% or ±2° (±4°)*

*Image Frequency: 9HZ*

*Wavelength Range: 8-14μm*

*Emissivity: 0.01-1.0 Adjustable*

*Focus Mode: Fixed*

*Palette: Rainbow, Iron red, rainbow, cold color, black&white, white&black*

*Image Storage: Built-in 3G*

*USB: Micro USB 2.0*

*File format: JPG*

*Operation Environment: 0-45°, <85%RH*

*Item Weight: 379g*

*Item Size: 228 x 83 x 90mm*



Line: @itokin2000.com

Tel: 02-9744354-6

W  
W  
W  
i  
t  
o  
k  
i  
n  
2  
0  
0  
0  
.  
c  
o  
m

# THERMAL IMAGING CAMERA


# THERMAL IMAGING CAMERA

## ITK-9450



ITK-9450

# PICTURE



W  
W  
W  
i  
t  
o  
k  
i  
n  
2  
0  
0  
0  
c  
o  
m

# THERMAL IMAGING CAMERA

Line: @itokin2000.com  
Tel: 02-9744354-6