

WASHING

FASTNESS TESTER

เครื่องทดสอบการซักล้างสิ่งทอ



WASHING

FASTNESS TESTER

SW-8A

เครื่องทดสอบการซักล้างสิ่งทอ

This instrument adopts microcomputer control, time, temperature input setting and display data, can control drainage and time zero, realize inching and running, stop control. Simple operation, at a glance.

Anti-dry burning function, equipped with contactless induction switch, in the case of water shortage, heating function does not start, effectively protect the instrument from burning. Motor thermal protection function, for long-term continuous work to reach the set temperature, into the protection state, the motor stopped working, until the temperature drops can resume work, effectively avoid unnecessary fault loss.

When the alarm alarm function, reach the set time, display the reminder, and buzzer alarm.



The transmission shaft of this machine is straight through type, the fixed end adopts stainless steel waterproof bearing, no water overflow phenomenon, adopts double-layer belt wheel drive, makes the inking action soft when loading and unloading the test cup, and the noise is low when the experiment process runs.

This series of products can meet the maximum loading capacity of the workshop: quick loading of 12 bit 550ml cup holders or 12 bit 1200ml cup holders, easy to unload, completely rust-free production.

WASHING FASTNESS TESTER

SW-8A

เครื่องทดสอบการซักล้างสิ่งทอ



The shell of the machine, workshop and control box are made of 304 stainless steel, beautiful and elegant, corrosion resistant.

Four universal adjustable foot, stable and firm.

All stainless steel positioning hinge, the default cover opening Angle is reasonable, will not fall back.

The upper cover of the studio is made of double-layer stainless steel, with the heat insulation foam treatment in the middle. The heat preservation effect is good and the effective insulation temperature leakage will not make you feel that the heat of the upper cover does not dare to touch.

The machine is equipped with a drainage pump to place the downpipe in the outlet pipe for a long time. It can be completed by pressing "drain" on the touch screen. The operation is simple and saves the tedious work of matching downspout.

WASHING FASTNESS TESTER

SW-8A

เครื่องทดสอบการซักล้างสิ่งทอ

Main test functions:

It is suitable for testing the color fastness to washing of cotton, wool, silk, hemp, chemical fiber, blended textile and printing and dyeing textiles, and can also be used to test the color fastness of dye to washing.

This machine conforms to national standard GB/ t3921.1-5, GB/T5711, American standard: AATCC61, JIS L0844, ISO105, etc.

Instrument main indicators and data

1. Volume of small sample cup: 550mL±50mL, 4 pcs 1200mL±50mL, 4 pcs
2. Rotating frame speed: 40r/min±2r/min
3. Motor: 370W and 380V
4. Drainage pump power: 30W
5. Heating power of the studio: 4500W
6. Temperature: RT-99
7. Setting time: 0.1min ~ 9999min
8. Power source: 380V±10% 50Hz 16A
9. External dimensions of the instrument: 780mm×620mm× 1200mm
10. 6mm diameter steel ball ,200pcs

Accessories

- SDC ISO105 F04 polyester 1pcs
- SDC soap power 1pcs
- SDC ECE Non phosphate detergent A 1pcs
- SDC ECE phosphate reference detergent B 1pcs

